

SPOTNAILS®



TOOLS & FASTENERS



Rolling Meadows, IL USA



Mexico - Factory 1



Korea - Factory 1



Korea - Factory 2



Korea - Factory 3

SPOTNAILS®

Spotnails has been one of the leading manufacturers of pneumatically driven fasteners for nearly 70 years. The company manufactures a wide range of industrial fastening products including nails, staples, pins, brads and tools for use in packaging, furniture/woodworking, construction, factory-built housing and many other industries.

With manufacturing facilities in the United States, Mexico and Korea, Spotnails is keeping pace with the ever increasing demand for high quality tools and fasteners.

SPOTNAILS "FIRSTS" INCLUDE:

- *The FIRST portable nailer to drive fasteners over half an inch long*
- *The FIRST patented divergent chisel staple*
- *The FIRST pneumatic nailer with air return*
- *The FIRST portable nailer for two and one-half inch nails*
- *The FIRST true brad for magazine loading*
- *The FIRST nylon coated fasteners*

TABLE OF CONTENTS

Page 3	Framing Nailers	Page 11	Flooring Tools
Page 4	Coil Nailers/T-Nailers	Page 12	Fine Wire/Upholstery Staplers
Page 5	T-Nailers/Finish Nailers/Bradders	Page 13	Specialty Tools
Page 6	Bradders/Pinners	Page 14	Stainless Steel Fasteners
Page 7	Staplers (14, 15 & 16 Gauge)	Page 15	SS Fine Wire Fasteners/ Tool Accessories
Page 8	Wide Crown Staplers (16 Gauge)	Page 16	Universal Fasteners
Page 9	Medium Crown Staplers	Page 19	Tebo Decker Tool
Page 10	Medium/Narrow Crown Staplers	Page 20	Cap Staplers

YPR90 21° FRAMING NAILER

Weight: 8 lbs. 5 oz.
Dimensions: 20" L x 5" W x 13" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
YPR90	70 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Adjustable

Applications:

Framing, Fencing, Decking, Pallets, Sheathing, Crating, Siding, General Manufacturing

Features:

Uses **Spotnails® 20-22° Nails**, 360° Adj. Exhaust, Rubber Grip for Comfort, Restrictive Trigger, Belt Hook, Flush Drive Attachments Available (#AS99076), Plastic Carrying Case

**NPR90 21° FRAMING NAILER**

Weight: 8 lbs. 6 oz.
Dimensions: 21" L x 4" W x 13-3/4" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
NPR90	50 - 75 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Front

Applications:

Framing, Decking, Fencing, Pallets, Sheathing, Crating, Siding, General Manufacturing

Features:

Uses **Spotnails® 20-22° Nails**, Rubber Grip for Comfort, Restrictive Trigger, Belt Hook, Flush Drive Attachments Available (#AS99076)

**YTD90 31° CLIPPED HEAD FRAMING NAILER**

Weight: 8 lbs. 5 oz.
Dimensions: 20" L x 5" W x 13" H

Tool	Nail Capacity	Nail Range	Diameter	Exhaust
YTD90	89 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Adjustable

Applications:

Framing, Decking, Fencing, Pallets, Sheathing, Crating, Siding, General Manufacturing

Features:

Uses **Spotnails® 31° Clipped Head Strip Nails**, 360° Adj. Exhaust, Rubber Grip for Comfort, Restrictive Trigger, Belt Hook, Flush Drive Attachments Available (#AS99076), Plastic Carrying Case

**NTD90 31° CLIPPED HEAD FRAMING NAILER**

Weight: 8 lbs. 6 oz.
Dimensions: 16-1/2" L x 4-1/2" W x 14-1/2" H

Tool	Nail Capacity	Nail Range	Diameter	Exhaust
NTD90	89 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Front

Applications:

Framing, Decking, Fencing, Pallets, Sheathing, Crating, Siding, General Manufacturing

Features:

Uses **Spotnails® 31° Clipped Head Strip Nails**, Rubber Grip for Comfort, Restrictive Trigger, Belt Hook, Flush Drive Attachments Available (#AS99076)

**YCN83 COIL FRAMING NAILER**

Weight: 8 lbs. 7 oz.
Dimensions: 13" L x 5-3/8" W x 13-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
YCN83	225 Nails	2" to 3-1/4" 50mm to 83mm	.113 - .131	Adjustable

Applications:

Framing, Decking, Fencing, Pallets, Sheathing, Crating, Siding, General Manufacturing

Features:

Uses **Spotnails® Coil Nails**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Flush Drive Attachments Available (#AS99076)



VRN45 COIL ROOFING NAILER



Weight: 5 lbs. 6 oz.
Dimensions: 12" L x 4" W x 10-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
VRN45	120 Roofing Nails	7/8" to 1-3/4" 22mm to 45mm	.120	Adjustable

Applications:

Roofing

Features:

Uses Spotnails® Coil Roofing Nails, 360° Adjustable Exhaust, Rubber Grip for Comfort



MCW64 15° PALLET & FENCING NAILER



Weight: 6 lbs. 2 oz.
11-3/8" L x 5" W x 11-7/8" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
MCW64	275 Nails	1-1/4" to 2-1/2" 32mm to 64mm	.083 - .099	Adjustable

Applications:

Fencing, Pallets, Framing, Decking, Sheathing

Features:

Uses Spotnails® Flat Coil Nails, 360° Adjustable Exhaust, Rubber Grip for Comfort



LCN57 MINI FLAT COIL NAILER



Weight: 5 lbs. 1 oz.
10-1/2" L x 4-3/4" W x 10-3/4" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
LCN57	300 Nails	1-1/4" to 2-1/4" 32mm to 57mm	.083	Front

Applications:

Fencing and Siding

Features:

Uses Spotnails® Flat Coil Nails, Rubber Grip for Comfort



VCN50 MINI CONE COIL NAILER



Weight: 5 lbs. 6 oz.
11-1/2" L x 4-1/2" W x 10-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
VCN50	350 Nails	1-1/4" to 2" 32mm to 50mm	.083	Adjustable

Applications:

Fencing and Siding

Features:

Uses Spotnails® Cone Coil Nails, 360° Adjustable Exhaust, Rubber Grip for Comfort



MT9764 T-NAILER



Weight: 5 lbs. 9 oz.
15" L x 4-1/2" W x 10-1/2" H


Tool	Nail Capacity	Nail Range	Diameter	Exhaust
MT9764	80 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.097	Adjustable

Applications:

Fastening Tack Strips to Concrete

Features:

360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included



XT8664 T-NAILER



Weight: 4 lbs. 10 oz.
Dimensions: 14-1/4" L x 3-1/2" W x 10" H

Tool	Nail Capacity	Nail Range	Diameter	Exhaust
XT8664	100 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.086	Adjustable

Applications:

Fastening Tack Strips to Concrete

Features:

Uses **Spotnails® T08611H**, 360° Adj. Exhaust, Rubber Grip for Comfort, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included,



XBA1564 15 GAUGE DA ANGLE FINISH NAILER



Weight: 4 lbs. 4 oz.
13-1/4" L x 3" W x 9-1/4" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
XBA1564	100 Angle Brads	1" to 2-1/2" 25mm to 64mm	15 Gauge	Adjustable

Applications:

Trim Molding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling & Drawer Sides

Features:

Uses **Spotnails® 1500 APB, APG or Senco® DA Brads**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included



XBFN64 15 GAUGE FN ANGLE FINISH NAILER



Weight: 4 lbs. 10 oz.
13-1/4" L x 3" W x 9-1/4" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
XBFN64	100 Angle Brads	1" to 2-1/2" 25mm to 64mm	15 Gauge	Adjustable

Applications:

Trim Molding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features:

Uses **Spotnails® 1500 FNG or 15 Gauge Bostitch® FN Angle Brads**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included



XB1564 15/16 GAUGE FINISH NAILER



Weight: 4 lbs. 4 oz.
10" L x 3" W x 10-1/2" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
XB1564	100 Brads	1" to 2-1/2" 25mm to 64mm	15/16 Gauge	Adjustable

Applications:

Trim Molding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features:

Uses **Spotnails® 1500 PG & 16 Gauge Brads**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included



WB1650 16 GAUGE BRADDER



Weight: 3 lbs. 9 oz.
9" L x 2-1/2" W x 9-1/2" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
WB1650	100 Brads	3/4" to 2" 19mm to 50mm	16 Gauge	Adjustable

Applications:

Trim Molding, Door & Window Casing, Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features:

Uses **Spotnails® 16 Gauge Brads**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included, **Long Magazine is Available (WB1650LM)**



WB1850 18 GAUGE BRADDER

Weight: 3 lbs. 9 oz.
9" L x 2-1/2" W x 9-1/2" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
WB1850	101 Brads	1" to 2" 25mm to 50mm	18 Gauge	Adjustable

Applications:

Trim Molding, Hardwood Flooring, Wall Paneling, Furniture & Cabinet Assembly

Features:

Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included, Long Magazine is Available (WB1850LM)

CB1850 18 GAUGE BRADDER

Weight: 2 lbs. 4 oz.
10-1/2" L x 2" W x 9" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
CB1850	115 Brads	1/2" to 2" 12mm to 50mm	18 Gauge	Adjustable

Applications:

Trim Molding, Hardwood Flooring, Wall Paneling, Furniture & Cabinet Assembly

Features:

Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

TB1840 18 GAUGE BRADDER

Weight: 3 lbs. 0 oz.
9" L x 2-1/2" W x 8-1/4" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
TB1840	101 Brads	1" to 1-9/16" 25mm to 40mm	18 Gauge	Adjustable

Applications:

Trim Molding, Door & Window Casing, Furniture & Cabinet Assembly, Hardwood Flooring, Wall Paneling, Drawer Sides

Features:

Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

CB1832 18 GAUGE BRADDER

Weight: 2 lbs. 3 oz.
10" L x 2" W x 8" H

Tool	Brad Capacity	Brad Range	Diameter	Exhaust
CB1832	100 Brads	3/8" to 1-1/4" 10mm to 32mm	18 Gauge	Adjustable

Applications:

Trim Molding, Hardwood Flooring, Wall Paneling, Furniture & Cabinet Assembly

Features:

Uses Spotnails® 18 Gauge Brads AX Type, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Restrictive Trigger, Adjustable Depth Control, Plastic Carrying Case Included

SP2340 23 GAUGE PINNER

Weight: 2 lbs. 9 oz.
10-1/4" L x 1-1/2" W x 7-1/2" H

Tool	Pin Capacity	Pin Range	Diameter	Exhaust
SP2340	100 Pins	1/2" to 1-9/16" 12mm to 40mm	23 Gauge	Front

Applications:

Trim Molding, Furniture & Cabinet Assembly

Features:

Uses Spotnails® 23 gauge Pins, Full Pin Range is 1/2" (12mm), 5/8" (15mm), 3/4" (18mm), 7/8" (22mm), 1" (25mm), 1-3/16" (30mm), 1-3/8" (35mm), 1-9/16" (40mm). 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Automatic Height Adjuster For Fasteners, Plastic Carrying Case Included

MS2440 14 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.
14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS2440	130 Staples	7/8" to 1-1/2" 22mm to 40mm	14 Gauge	Adjustable


Applications:

Truss Manufacturing

Features:

Uses **Spotnails™ 2400 Staples & Paslode™ Staples**, 360° Adjustable Exhaust, Restrictive Trigger, Plastic Carrying Case Included

1" Crown



MS6564 15 GAUGE MEDIUM CROWN STAPLER



Weight: 5 lbs. 7 oz.
14-1/2" L x 4" W x 11" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS6564	138 Staples	1-1/2" to 2-1/2" 40mm to 64mm	15 Gauge	Adjustable

Applications:

Crating

Features:

Uses **Spotnails™ 6500 Staples & Senco™ Q Staples**, 360° Adjustable Exhaust, Restrictive Trigger, Plastic Carrying Case Included

7/16" Crown



MS7564 15 GAUGE MEDIUM CROWN STAPLER



Weight: 5 lbs. 9 oz.
14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS7564	138 Staples	1-1/2" to 2-1/2" 40mm to 64mm	15 Gauge	Adjustable

Applications:

Crating

Features:

Uses **Spotnails™ 7500 Staples & Bostitch™ BCS1516 Staples**, 360° Adjustable Exhaust, Restrictive Trigger, Plastic Carrying Case Included, Long Magazine is Available (MS7564LM)

1/2" Crown



XS1640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.
14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS1640	150 Staples	5/8" to 1-1/2" 16mm to 40mm	16 Gauge	Adjustable


Applications:

Insulating Material, Packaging, Crating, Roofing*, Lathing*

Features:

Uses **Spotnails™ 1600 Staples & Bostitch™ Wide Crown Staples**, 360° Adjustable Exhaust, Restrictive Trigger, Plastic Carrying Case Included, *Roofing or Lathing Safety Sold Separately

1" Crown



XS1650 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 2 oz.
14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS1650	150 Staples	1" to 2" 25mm to 50mm	16 Gauge	Adjustable

Applications:

Lathing

Features:

Uses **Spotnails™ 1600 Staples & Bostitch™ Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included



XS2640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.
14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS2640	150 Staples	5/8" to 1-1/2" 16mm to 40mm	16 Gauge	Adjustable

Applications:

Insulating Material, Packaging, Crating, Roofing*, Lathing*

Features:

Uses **Spotnails™ 2600 Staples & Paslode™ GSW 16 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included, *Roofing or Lathing Safety Sold Separately



XS2650 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 2 oz.
14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS2650	150 Staples	1" to 2" 25mm to 50mm	16 Gauge	Adjustable

Applications:

Lathing

Features:

Uses **Spotnails™ 2600 Staples & Paslode™ GSW 16 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included, *Roofing or Lathing Safety Sold Separately



XS3640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.
14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS3640	150 Staples	5/8" to 1-1/2" 16mm to 40mm	16 Gauge	Adjustable

Applications:

Insulating Material, Packaging, Crating, Roofing*, Lathing*

Features:

Uses **Spotnails™ 3600, Senco™ P, & Duo-Fast™ 1700 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included, *Roofing or Lathing Safety Sold Separately, Long Magazine is Available (XS3640LM)



XS3650 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 2 oz.
14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS3650	150 Staples	1" to 2" 25mm to 50mm	16 Gauge	Adjustable

Applications:

Lathing

Features:

Uses **Spotnails™ 3600, Senco™ P, & Duo-Fast™ 1700 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included, *Roofing or Lathing Safety Sold Separately



XS6650 16 GAUGE MEDIUM CROWN STAPLER



Weight: 4 lbs. 8 oz.
14-1/2" L x 4" W x 10" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS6650	150 Staples	5/8" to 2" 16mm to 50mm	16 Gauge	Adjustable

Applications:

Plywood Wall Sheathing, Floor Underlayment, Roof & Wall Shingles, Furniture Frames, Cabinet Sub-Assembly, Gypsum Wall Sheathing, Millwork - Door Jambs, Existing Siding

Features:

Uses Spotnails™ 6600 & 5600, Senco™ N & Duo-Fast™ 7600 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case, Long Magazine is Available (XS6650LM)

7/16" Crown



MS6650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



FOR EXTRA POWER!

Weight: 5 lbs. 7 oz.
14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS6650i	150 Staples	5/8" to 2" 16mm to 50mm	16 Gauge	Adjustable

Applications:

Plywood Wall Sheathing, Floor Underlayment, Roof & Wall Shingles, Furniture Frames, Cabinet Sub-Assembly, Gypsum Wall Sheathing, Millwork - Door Jambs, Existing Siding

Features:

Uses Spotnails™ 6600 & 5600, Senco™ N & Duo-Fast™ 7600 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included, Long Magazine is Available (MS6650iLM)

7/16" Crown



XS76-8650 16 GAUGE MEDIUM CROWN STAPLER



Weight: 4 lbs. 8 oz.
14-1/2" L x 4" W x 10" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS76-8650	150 Staples	5/8" to 2" 16mm to 50mm	16 Gauge	Adjustable

Applications:

Plywood Wall Sheathing, Floor Underlayment, Roof & Wall Shingles, Furniture Frames, Cabinet Sub-Assembly, Gypsum Wall Sheathing, Millwork - Door Jambs, Existing Siding

Features:

Uses Spotnails™ 7600 & 8600, Paslode™ GS16 & Bostitch™ 16S4 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included

1/2" Crown



MS76-8650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



FOR EXTRA POWER!

Weight: 5 lbs. 7 oz.
14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
MS76-8650i	150 Staples	3/4" to 2" 19mm to 50mm	16 Gauge	Adjustable

Applications:

Plywood Wall Sheathing, Floor Underlayment, Roof & Wall Shingles, Furniture Frames, Cabinet Sub-Assembly, Gypsum Wall Sheathing, Millwork - Door Jambs, Existing Siding

Features:

Uses Spotnails™ 7600 & 8600, Paslode™ GS16 & Bostitch™ 16S4 Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included

1/2" Crown



TS6825 18 GAUGE MEDIUM CROWN STAPLER



Weight: 2 lbs. 13 oz.
9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TS6825	168 Staples	3/8" to 1" 9mm to 25mm	18 Gauge	Adjustable

Applications:

Case Backing, Drawer Assembly, Trim Molding, Heavy Cabinet, *Vinyl Siding Installation

Features:

Uses **Spotnails™ 6800**, **Senco™ M**, & **Duo-Fast™ W1800 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included, *With Vinyl Siding Safety (TS6825V)

3/8" Crown



WS4840 18 GAUGE NARROW CROWN STAPLER



Weight: 3 lbs. 9 oz.
12" L x 2-1/2" W x 9-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
WS4840	168 Staples	1/2" to 1-5/8" 12mm to 40mm	18 Gauge	Adjustable


Applications:

Underlayment, Furniture Assembly, Door & Window Trim, Corner Blocks, Drawer & Cabinet Assembly

Features:

Uses **Spotnails™ 4800**, **Senco™ L**, & **Duo-Fast™ 1800 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger, Plastic Carrying Case Included, **Long Magazine is Available (WS4840LM)**

1/4" Crown



TS4825 18 GAUGE NARROW CROWN STAPLER



Weight: 3 lbs. 0 oz.
9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TS4825	168 Staples	3/8" to 1" 9mm to 25mm	18 Gauge	Adjustable


Applications:

Underlayment, Furniture Assembly, Door & Window Trim, Corner Blocks, Drawer and Cabinet Assembly

Features:

Uses **Spotnails™ 4800**, **Senco™ L**, & **Duo-Fast™ 1800 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included

1/4" Crown



TS3832 18 GAUGE NARROW CROWN STAPLER



Weight: 2 lbs. 13 oz.
11-1/2" L x 2-1/2" W x 8" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TS3832	168 Staples	1/2" to 1-1/4" 12mm to 32mm	18 Gauge	Adjustable


Applications:

Underlayment, Furniture Assembly, Door & Window Trim, Corner Blocks, Drawer & Cabinet Assembly

Features:

Uses **Spotnails™ 3800 Staples**, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger, Plastic Carrying Case Included, **Long Magazine is Available (TS3832LM)**

3/16" Crown



WS4840W2 18 GAUGE NARROW CROWN STAPLER



Weight: 4 lbs. 11 oz.
12" L x 2-1/2" W x 9-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
WS4840W2	168 Staples	1-3/8" 35mm	18 Gauge	Adjustable


Applications:

For Use On Engineered Hardwoods (3/8", 1/2" & 9/16" Floors)

Features:

Uses Spotnails® 4811PN Nylon Coated Staples To Prevent Withdrawal, 360° Adjustable Exhaust, Rubber Grip for Comfort, Quick Clear Nose, Plastic Carrying Case Included

1/4" Crown



AF3807S 18 GAUGE UNDERLAYMENT TOOL



Weight: 4 lbs. 6 oz.
Dimensions: 14" L x 2" W x 7" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
AF3807S	200 Staples	7/8" 22mm	18 Gauge	N/A

Applications:

Underlayment

Features:

Uses Spotnails® 3807 DG Staples, Manual Underlayment Tool Automatically Countersinks Divergent Staples, No Hoses or Cords Required, No Set-Up Time

3/16" Crown



Divergent Staple



XS1640RFH XS3640RFH

16 GAUGE WIDE CROWN RADIANT FLOOR STAPLERS



Weight: 9 lbs. 1 oz.
14" L x 3-1/2" W x 36-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
XS1640RFH	150 Staples	1" to 1-1/2" 25mm to 40mm	16 Gauge	Adjustable
XS3640RFH	150 Staples	1" to 1-1/2" 25mm to 40mm	16 Gauge	Adjustable

Applications:


Radiant Floor Heating

Features:

XS1640RFH Uses Spotnails® 1600 Staples & Bostitch® Wide Crown Staples. XS3640RFH Uses Spotnails® 3600 Staples, Senco® P & Duo-Fast® 1700 Staples. 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Two Guide Blocks For Tubing, Walking Stick Also Available Separately (AS-99090)



1" Crown



FS7550 FLOORING STAPLER FCL2650 CLEAT FLOORING TOOL



Weight: 10 lbs. 0 oz.
17" L x 3-1/2" W x 21" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
FS7550	100 Staples	1-1/2" to 2" 40mm to 50mm	15 Gauge	N/A
FCL2650	100 Cleats	2" 50mm	15 Gauge	N/A

Applications:

FS7550: Install 3/4" Solid Hardwood Flooring.

FCL2650: Tongue & Groove 3/4" Flooring

Features:

FS7550 Uses Spotnails™ 7500 Staples & Bostitch™ BCS1516 Staples. FCL2650 Uses Spotnails™ 26132 "L" Flooring Cleats. Rubber Grip For Comfort, Plastic Carrying Case Included, Mallet Included

FS7550
1/2" Crown



FCL2650
L Cleat



DS7116 DS8016 DS5016



Weight: 1 lb. 12 oz.
Dimensions: 8" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
DS7116	100 Staples	5/32" to 9/16" 4mm to 14mm	22 Gauge	3/8"	Rear
DS8016	100 Staples	1/8" to 9/16" 3mm to 14mm	20 Gauge	1/2"	Rear
DS5016	84 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	1/2"	Rear

Applications:

DS7116: Upholstery, Automotive Vinyl & Interior Trim, Insulation, Installation of Wire Screens

DS8016 & DS5016: Upholstery, Roofing Felt, Screening

Features:

DS7116 Uses Spotnails® 71 Series Staples, DS8016 Uses Spotnails® 80 Series Staples, DS5016 Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples

JS7116 JS8016 JS5016



Weight: 2 lb. 3 oz.
Dimensions: 8" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
JS7116	100 Staples	5/32" to 9/16" 4mm to 14mm	22 Gauge	3/8"	Front
JS8016	100 Staples	1/8" to 9/16" 3mm to 14mm	20 Gauge	1/2"	Front
JS5016	84 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	1/2"	Front

Applications:

JS7116: Upholstery, Automotive Vinyl & Interior Trim, Insulation, Installation of Wire Screens

JS8016 & JS5016: Upholstery, Roofing Felt, Screening

Features:

JS7116 Uses Spotnails® 71 Series Staples, JS8016 Uses Spotnails® 80 Series Staples, JS5016 Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples

JS7116LN JS8016LN JS5016LN



Weight: 2 lb. 5 oz.
Dimensions: 8-1/2" L x 1-3/4" W x 8" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
JS7116LN	100 Staples	5/32" to 9/16" 4mm to 14mm	22 Gauge	3/8"	Front
JS8016LN	100 Staples	1/8" to 9/16" 3mm to 14mm	20 Gauge	1/2"	Front
JS5016LN	84 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	1/2"	Front

Applications:

JS7116LN: Upholstery, Automotive Vinyl & Interior Trim, JS5016LN & JS8016LN: Upholstery, Roofing Felt, Screening

Features:

JS7116LN Uses Spotnails® 71 Series Staples, JS8016LN Uses Spotnails® 80 Series Staples, JS5016LN Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples

BS7116AF BS8016AF BS5016AF BSA1116AF



Weight: 2 lb. 6 oz.
15-1/4" L x 1-1/2" W x 5-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Crown	Exhaust
BS7116AF	200 Staples	5/32" to 9/16" 4mm to 14mm	22 Gauge	3/8"	Rear
BS8016AF	200 Staples	1/8" to 9/16" 3mm to 14mm	20 Gauge	1/2"	Rear
BS5016AF	168 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	1/2"	Rear
BSA1116AF	168 Staples	1/4" to 9/16" 6mm to 14mm	20 Gauge	3/8"	Rear

Applications:

BS7116AF: Upholstery, Automotive Vinyl & Interior Trim, Insulation, BS8016AF, BS5016AF & BSA1116AF: Upholstery, Roofing Felt

Features:

BS7116AF Spotnails® 71 Series Staples, BS8016AF Uses Spotnails® 80 Series Staples, BS5016AF Uses Spotnails® 35000 & Duo-Fast® 50 Series Staples, BSA1116AF Uses Spotnails® A-11 Series Staples

XC1016 CORRUGATED FASTENER

Weight: 5 lbs. 3 oz.

Dimensions: 14" L x 3-1/2" W x 9-1/4" H

Tool	Capacity	Range	Diameter	Exhaust
XC1016	120 Fasteners	1/4" to 5/8" 6mm to 16mm	1"	Adjustable

Applications:

Drives 1" Wide Strip Steel Corrugated Fasteners in 1/4", 3/8", 1/2" and 5/8" Lengths, For Use On End Gable or Roof Jack Connections, Hollow Core Doors, Furniture Butt Joints, Pallet Repair

Features:

Uses Spotnails® 416, 616, 816 & 1016 Fasteners, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Restrictive Trigger, Plastic Carrying Case Included

**GCS8116 20 GAUGE CAP STAPLER**

NEW!

Weight: 4 lbs. 0 oz.

Dimensions: 14" L x 7-1/2" W x 7" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
GCS8116	200 Staples/200 Caps	5/8" 16mm	20 Gauge	Adjustable

Applications:

Installing Housewrap, Roofing Felt

Features:

Uses 136225 Staples, 3/8" Crown Staples, 360° Adjustable Exhaust, Rubber Grip for Comfort, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case Included

**TCS6832 CROSSFIRE 18 GAUGE CAP STAPLER**

Weight: 4 lbs. 13 oz.

13-1/2" L x 9-1/2" W x 8-1/2" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TCS6832	200 Staples/ 200 Caps	5/8" & 7/8" 16mm & 22mm	18 Gauge	Front
		1-1/4" & 1-1/2" 32mm & 38mm	18 Gauge	

Applications:

Installing Housewrap, Roofing Felt, Foam Board

Features:

Uses Spotnails® 136025 - 136095 Staples, 3/8" Crown Staples, Blue Adjustable Trigger, Rubber Grip for Comfort, Quick Clear Nose, Plastic Carrying Case Included

**136400 CAP HAMMER TACKER**

by National Nail™

Weight: 2 lbs. 6 oz.

Dimensions: 17" L x 2" W x 5" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
136400	168 Staples/ 168 Caps	3/8" 10mm	20 Gauge	N/A

Applications:

Roofing Felt, Housewrap

Features:

Uses 136420 Staples, Airless Cap System

**07020D CLIPPER PLIER STAPLER**

Weight: 1 lbs. 0 oz.

Dimensions: 6-3/4" L x 3/4" W x 3-7/8" H

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
07020D	210 Staples	1/4" 6mm	1/2" Crown	N/A

Applications:

Laundries, Dry Cleaners, Checkout Counters, Factories

Features:

Uses 1/2" Undulated Crown Staples 70001 For Strength or Standard Office Staples 76001 In 1/4" Length, All Steel Construction, 2-5/8" Throat Depth



Standard Staple

STAINLESS STEEL FASTENERS

New Quantities Ideal For Contractors
Retail Packs On All Brads & Nails



ROOFING NAILS		
	Stock #	Length
	CRN10SSR-7.2M	1-1/4"

15 GAUGE STAPLES (Bostitch™)		
	Stock #	Length
	7516PS-4.5M	2"

COIL FENCING NAILS		
	Stock #	Length
	CW4D090SSR-3.6M	1-1/2"
	CW5D090SSR-3.6M	1-3/4"
	CW5.5D090SSR-3.6M	1-7/8"

15 GAUGE STAPLES (Senco™ Q/Duo-Fast™)		
	Stock #	Length
	6520PS-6.2M	2-1/2"

16 GAUGE 7/16" CROWN STAPLES (Spotnails™/Bostitch™)		
	Stock #	Length
	7610PS-10M	1-1/4"
	7612PS-10M	1-1/2"
	7614PS-10M	1-3/4"
	7616PS-10M	2"

21° ROUND HEAD NAILS		
	Stock #	Length
	2-8D113SSR	2-3/8"
	2-10D120SSR	3"
	2-12D120SSR	3-1/4"

16 GAUGE 1" WIDE CROWN STAPLES (Spotnails™ Bostitch™)		
	Stock #	Length
	1608PS-10M	1"

16 GAUGE 7/16" CROWN STAPLES (Senco™/Duo-Fast™)		
	Stock #	Length
	6608PS-10M	1"
	6610PS-10M	1-1/4"
	6612PS-10M	1-1/2"
	6614PS-10M	1-3/4"
	6616PS-10M	2"

15 GAUGE ANGLE BRADS		
	Stock #	Length
	1512APS	1-1/2"
	1516APS	2"
	1520APS	2-1/2"

16 GAUGE 15/16" WIDE CROWN STAPLES (Paslode™)		
	Stock #	Length
	2608PS-10M	1"

16 GAUGE BRADS		
	Stock #	Length
	16124SS	1-1/2"
	16132SS	2"
	16140SS	2-1/2"

16 GAUGE 1" WIDE CROWN STAPLES (Senco™ Duo-Fast™)		
	Stock #	Length
	3608PS-10M	1"

16 GA 7/16" INTERMEDIATE CROWN STAPLES (Paslode™ GSI/Duo-Fast™)		
	Stock #	Length
	5636PS-10M	1-1/8"
	5640PS-10M	1-1/4"
	5648PS-10M	1-1/2"

18 GAUGE BRADS		
	Stock #	Length
	18110SS	5/8"
	18112SS	3/4"
	18116SS	1"
	18120SS	1-1/4"
	18124SS	1-1/2"
	18132SS	2"

16 GAUGE 1/2" MEDIUM CROWN STAPLES (Paslode™ GS)		
	Stock #	Length
	8608PS-10M	1"
	8609PS-10M	1-1/8"
	8610PS-10M	1-1/4"
	8612PS-10M	1-1/2"
	8614PS-10M	1-3/4"
	8616PS-10M	2"

18 GAUGE 1/4" NARROW CROWN STAPLES (Spotnails™/Duo-Fast™/Senco™)		
	Stock #	Length
	4806PS-25M	3/4"
	4808PS-25M	1"
	4810PS-25M	1-1/4"
	4812PS-25M	1-1/2"

DON'T SEE AN ITEM YOU WANT? WE PRODUCE RUN TO ORDER ITEMS!

STAINLESS STEEL FINE WIRE FASTENERS

FINE WIRE STAPLES (Duo-Fast™ 50 Series)		
□	Stock #	Length
□	35504SS	1/4"
□	35506SS	3/8"
□	35508SS	1/2"
	36504SS	1/4" Div. Pt.
	36506SS	3/8" Div. Pt.
	36508SS	1/2" Div. Pt.

FINE WIRE STAPLES (71 Series/Senco™ C)		
□	Stock #	Length
□	87004SS	1/4"
□	87005SS	5/16"
□	87006SS	3/8"
	87008SS	1/2"
	87009SS	9/16"


FINE WIRE STAPLES (Duo-Fast™ 31 Series)		
□	Stock #	Length
□	31004SS	1/4"
□	31006SS	3/8"
□	31008SS	1/2"

FINE WIRE STAPLES (Duo-Fast™ 80 Series)		
□	Stock #	Length
□	98004SS	1/4"
□	98006SS	3/8"
□	98008SS	1/2"




OPTIONAL TOOL ACCESSORIES

VINYL SIDING ATTACHMENT KIT




AS-99077 For 16 Gauge Medium Crown Tools
AS-99087 For 18 Gauge Medium Crown Tools

LATHING OR ROOFING SAFETY



For 16 Gauge Wide Crown Tools, 1-1/2" Max.
P-53167 For Lathing, P-53175 For Roofing

FILTER END CAP ASSEMBLY



P-97454
For Striker X Body Tools

POSITIVE PLACEMENT ATTACHMENT KIT



AS-99080
For WS4840

LONG MAGAZINE ASSEMBLY



Long Magazines Available For:

MS7564 Capacity: 200
MS6650i Capacity: 337
TS3832 Capacity: 300
WB1650 Capacity: 200
WB1850 Capacity: 200
WS4840 Capacity: 300
XS3640 Capacity: 300
XS6650 Capacity: 337

KEY CODE

	DUO-FAST™		SPOTNAILS™		PASLODE™
	SENCO™		BOSTITCH™		JK™/BEA™/RAPID™

SPOTNAILS FASTENERS	Spotnails Tools	Senco	Duo-Fast	Bostitch	Paslode	Porter	Hitachi	Fasco	Dewalt	Makita	Max	Other
2-6D113 - 2-16D131 20-22 Degree Nails 2" - 3-1/2"	NPR90 YPR90	FramePro 600 FRH, 650 FramePro 602/652 FramePro 700XL, 750XL FramePro 702XP/752XP-FRH SN60, SN65, SN65C	CN350 CN-350B (22°) CN-350B-SH CN-137 NSP-350F New	N95RHN N88RH-MCN2 N88RH N86S RN90	5350/SRH-20	FR350	NR83A (20°) NR90AC NR83A2 NR83A2S	F5C-RHN20-83 F6 RHN20-90 R5C RHN20-90	D51845 D51844,	AN8300 AN922	SN80 SN90 SN90A SN890RH	Rigid: R350CHA Grip-Rite: GRTRH350
Clipped Head Strip Nails (31°) 2" - 3-1/2"	YTD90 NTD90	SN70, SN325+, SN2 SN2+, SN3, SN4 FramePro 701XP FramePro 751XP FramePro 601 FramePro 651 FramePro 700/750 FramePro 600/650		N90PT	Impulse 325 Impulse 325CT Impulse 350 IM CT IM 325PP 5300, 5325 5350 PM5350-90S F350S, F400S	FC350 FM350	NR90AA NR90AD NR83AA3 NR83AA	F6 HHN 31-90 R5C HHN 31-90	D51823 D51822	AN942	SN890CH/34	Rigid: R350CHA Grip-Rite: GRTCH350
CRN08G-CRN14G Roofing Coil Nails 1" to 1-3/4"	VRN45 KRN45	SCN200R SCN40R RoofPro 450 RoofPro 455XP	DRN-45 RN-175A	N12B RN45 RN45B RN46	3175/44RCU R175C	134R RN175 RN175A	NV45AB NV45AC NV45AB2	F3C CN15W-32 F4 CN15W-45 R4 CN15W-45		AN451	CN450R	Rigid: R175RNA Grip-Rite: GRTCR175
CW Series Nails Flat Coil Nails .083 1-1/4" to 2-1/4"	LCN57	SCN45		N55C N64C N65CP-1 N65CP-2	3225			R4 CN15W-50			CN55	
CW Series Nails Flat Coil Nails .099 2" to 2-1/2"	MCW64	SCN56 SCN60 SCN65 SCN200 SCN300	CNW-75	N63CP N64CP N57C N70C N86C, N100C N70CB N80CB N100CPP	P275C P350C F4250/65CP 4275/CN70 5325/CN80	Coil 250 Coil 350	NV65AB NV65AC NV83A	F5 CN15W-65 R5 CN15W-65		AN611	CN70 to 2-3/4" CN80 to 3-1/4" CN80F CN100 CN565 CN890S CN890II	
CW Series Nails Flat Coil Nails .113 - .131 2" to 3-1/4"	YCN83	SCN65 SCN60 SCN300	CNW-75 DCN-325/85L	N80C N80CB N86C N100C N100CPP	F275C F325C F4250/65CP F4275/CN70 5325/CN80	Coil 350	NV65AB NV65AC NV83A NV83A2			AN621 AN901	CN70 to 2-3/4" Max CN80 CN80F to 3-1/4" Max CN100 CN890S to 3-1/2" CN890II CN665, HN90	
CPD Series Nails Coil Plastic Duo-Fast 1-3/4" to 2-1/4"			DCN-225 KDN-50A RCN-60 RCN-70/60A CNP-60Y CNP-65Y RCN-60/225AD									
CPM Nails Plastic Coil - Max Type 2.25 x .092		SCN45		N63CP			NV65AH NV75AH			AN611	CN4525-K CN552S CN565S CN565D	
CWC Nails Cone Coil Nails .083 1-1/4" to 2"	VCN50	SCN45					NV50A1				CN502	
T08611H T-Nails 11/16"	XT8664			MIII812CNCT MA-097-T								
1508APB-1520APB 15 Gauge Angle Brads 1" to 2-1/2"	XBA1564	FinishPro 41XP SFN40 FinishPro 35 SFN1, SNF1+ SN1, SFN30, SFN2B Airfree 41	DAFN-6480			DA250A DA250B DAFN- 6480 CDA250	NT65AA NT65MA	F3C BA-50 F4 BA-65 R3C BA-50 R4 BA-65 F48A-65CT	D51275	AF631 AF632	NF-550/15-65	Rigid: R250AFA Grip-Rite: GRTAN250
1510-1520 15 Gauge Brads 1-1/4" to 2-1/2"	XB1564											
1510FNG-1520FNG 15 Gauge Bostitch FN Brads 1-1/4" to 2-1/2"	XBFN64			N60FN N62FN							NF510/15-50	
16212FNG-16220FNG 16 Gauge Angle Brads 1-1/2" to 2-1/2"				N60FN N62FN	T250A-F16 T250-F16 3250-F16			DC618K Cordless DC614KA Cordless			NF510/15-50	
16512-16540 16 Gauge Brads 3/4" to 2-1/2"	WB1650 XB1564	Finish Pro 32	LFN-748A-1-1/2 LFN764A-2"	SB-1664-FN T40-B T36-50	3200-F16 3250-F16 IM250-F16 MU-112 MU-212-F T250-F-16	FN250 FN250A FN250B FN200	NT65A NT65A2	F26C FN-50 F3P FN-50 R3C FN-50 R3T FN-70	D51256 DC612KA Cordless DC616KA Cordless		NF 352-ST/16-50	Rigid: R250SFA Grip-Rite: GRTFN250 Haubold: SKS64A/16

SPOTNAILS FASTENERS	Spotnails Tools	Senco	Duo-Fast	Bostitch	Paslode	Porter	Hitachi	Fasco	Dewalt	Makita	Max	Other
18008-18532(AX) 18 Gauge Brads 1/2" to 2"	WB1850 TB1840 CB1832 CB1850	Finish Pro 18 Finish Pro 2N1 Finish Pro 25XP LS4 LS5 SLP20/LS1	BB-4440 DBN-40525C Pro-5 DBN-4440 DBN-4450	BT35B BT50B BT125SK BT200K T29-30 T31-1 SB-1842BN SB-1850BN SB-21N1	T125-F18 T200-F18 Cordless 901000 2138-F18 2138-F18II IM200-F18	BN125A BN200A BN200V12	NT45A NT32AE NT50AD NT50AE	F20 PGN-31 F20 TGN-40 F25A GN-40 F26C GN-50 R3C GN-50	D51238	AF501 AF502 AF503	NF 211/18-25 NF 211/18-50 NF 221/18-55 NF255-ST/18 NF201/18-35 (PX Only)	Rigid: R213BNA Grip-Rite: GRTBN200 Omer: 1220 1240
18008AY-18516(AV) 18 Gauge Brads, 1/2" to 1"		SLP20										
23005-23025 23 Gauge Headless Pins 5/16" to 1-9/16"	SP2325 SP2340	SHP10				Pin 100						Omer: PR.18, P25 PR.28
2407PGH-2410PGH Wide Crn 15/16" High Tensile	MS2440				4510W14							
7512-7520 15 Gauge 1/2" Med Crn Staples, 1-1/2" to 2-1/2"	FS7550 MS7564			MIII-FS								Grip-Rite: GR200FS
6512-6520 15 Gauge 7/16" Med Crn Staples, 1-1/2" to 2-1/2"	MS6564											
1605-1620 16 Gauge 1" Wide Crown Staples, 5/8" to 2-1/2"	XS1640 XS1650 XS1640RFH			438S2R T35-8 T35-32 450S2R T40S2-CT T50S2-1				F3C ATW-38				Omer: WS.38
2605-2616 16 Gauge 15/16" Wide Crn Staples, 5/8" to 2"	XS2640 XS2650				S150-W16R S200-W16 MU-112-W16R 3150-W16 3150-W16R 3200-W16			F3C PSW-38R R3C PSW-39CT				Omer: WK.38
3605-3616 16 Gauge 1" Wide Crown Staples, 5/8" to 2"	XS3640 XS3650 XS3640RFH	MW, PW, PW-2" PW-R, PW 200 SPS SPS-RFR	KW-1748 RNS-1748I RS-1748 SW-1748				N3824A	F3C SNW-38R R3C SNW-38TL				Omer: WP.38
6605-6616 16 Gauge 7/16" Med. Crn Staples, 5/8" to 2"	XS6650 MS6650i	M1, M2+, M2 SKS N12-N17 SNS45, SNS40, SNS41 SNS44XP, SNS45XP SNS50					N5008AB N5008AC	F4 PG-50 F45C G-55 R3 CG-40CT R4 PG-50CT	D51430		TA551/16-11	
7605-7616 16 Gauge 1/2" Med. Crn Staples, 5/8" to 2"	XS76-8650 MS76-8650i			T55S4-1 T40S4-CT T36-1 T36-50 650S4 T50S4-1 438S4 T38								
8605-8616 16 Gauge 1/2" Med. Crn Staples, 5/8" to 2"	XS76-8650 MS76-8650i				IM200-S16 S200-S16 MA-S16L 3200-S16 3200-S16P 3150-S16 PA-200			R3C HD-40 VIL-SID	D51431			
5632-5664 16 Gauge 7/16" Int. Crn Staples, 1" to 2"	XS6650 MS6650i		KS-7648 1-1/2" MS-7664E 2" DS-7656P 1-3/4" DS-7664P 2" SM-7648 SM-7664		GSI 3150 3200-116 MA-GS116	MS200	N5008AB				TA551/76	
5803-5812 18 Gauge Intermediate Crn Staples, 3/8" to 1-1/2"				T-28-8				F22A 92-25				BeA: 92/25-553, 92/40-722
6803-6812 18 Gauge Intermediate Crn Staples, 3/8" to 1-1/2"	TS6825	SKS-M SLS20-M	DMS-W1832									
7805-7808 18 Gauge 7/16" Med. Crn Staples, 5/8" to 1"					GSI-18							
4803-4813 18 Gauge 1/4" Narrow Crn Staples, 3/8" to 1-5/8"	WS4840 TS4825 WS4840W2	SKSN4450 KMN4450 LN4450 SKS L FinishPro 2N1 SLS18, SLS20 SLS25XP	KN-1848A KB-1836 BN-1832 DNS-1840 ST-18 (Man.- -HIT)			NS100 NS150 NSS150 NS100A NS150A	N3804AB N3804A	F20T 90-30 CT F20T 90-40 CT R3C 90-40 CT F20-40 F25A-90-40 F3C 90-40 LN F21T 90-40A			TA238/18-6	Rigid: R150FSA Kihlberg: PN6040V
4811PN 18 Gauge 1/4" Narrow Crn Staples, 1-3/8"	WS4840W2											
3804-3810 18 Gauge 3/16" Narrow Crn Staples, 1/2" to 1-1/4"	TS3832 AF3807S							F3 38-30CT				

SPOTNAILS FASTENERS	Spotnails Tools	Senco	Duo-Fast	Bostitch	Paslode	Porter	Hitachi	Fasco	Dewalt	Makita	Max	Other
2806-2812 GSN Series 18 Gauge 3/16" Narrow Crown , 3/4" to 1-1/2"					2118-N18 2125-N18 3150-N18 S150-F18							
416-616-816 1" Wide Corrugated Fasteners, 416-1/4", 616-3/8", 816-1/2" Lengths	XC1016	SC2	CF-100A		MA-C20			R4P CF-12CT F45C CF9- -15SS (CT)				
136025-136095 Cap Stapler, 5/8" to 1-1/2"	TCS6832											
26132 Flooring Cleat 2"	FCL2650	SHF50/15/10	HFN1	HFN1 MIIIFN MFN200		FCN200						
31004-31009 3/8" Crown Fine Wire 1/4" to 9/16", (31 Series)												
33004-33009 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to 33 Series			TI-3118 EIC-3118									
35504-35509/36505 1/2" Crown Fine Wire Staple 1/4" to 9/16" Similar to 50 Series	35000 DS5016 JS5016 JS5016LN BS5016AF		HT550 CT CT859									BeA: 95/14 Kihlberg: 64
32506-32509/34509 3/16" Crown Fine Wire Staple 3/8" to 9/16" Similar to 54 Series			ENC-5418 BN-5424					F1A 54DF-18 F1B 54DF-18				
38506-38509/35706 1/2" Crown Fine Wire Staple 3/8" to 9/16" Similar to 75 Series	35700		HT755									
91206-91210 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to SB103020				P-50								
83506 3/8" Fine Wire Staple Similar to SHCR5019				H2B								
82504-82509 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to STCR5019				H-30H T5-8 ET5 T15								Kihlberg: R-19
81504-81508 3/8" Crown Fine Wire Staple 1/4" to 1/2" Similar to STCR2619				H-30-6 75-6								
78504 1/4" Fine Wire Staple Similar to STCR2115				B-8P								
73004 3/8" Crown Fine Wire Staple 1/4" Similar to SP19				P-3								
85504-85509/86506 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to A-11/T-50	85000							F1A A11-16 Auto L/M				Arrow: T-50, HT-50 Rapid: A-11, R-11
84504 3/8" Crown Fine Wire Staple 1/4" Similar to Rapid 19, 28, 30	84000											Rapid: R-19
94206-94210 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to JK777												Kihlberg: JK-20T-L
95506-95510 1/2" Crown Fine Wire Staple 3/8" to 5/8" Similar to JK779												Kihlberg: JK-20T JK-20T-L
87002-5-87009 3/8" Crown Fine Wire Staple 5/32" to 9/16" Similar to 71 Series	DS7116 JS7116 JS7116LN BS7116AF	SJS JG SFTB	BN5424					F23G-16 F1A S3G-16				BeA: 71/14 Kihlberg: 20/670 Haubold: PN814
98004-98009 1/2" Crown Fine Wire Staple 1/4" to 9/16" Similar to 80 Series	DS8016 JS8016 JS8016LN BS8016AF											BeA: 80 Haubold: PN814 Kihlberg: JK-20-680
99004-99009 3/8" Crown Fine Wire Staple 1/4" to 9/16" Similar to 1400 Series												Haubold: PN1416F FN1414G

The TEBO™ & TEBO Decker™

Hidden Deck Fastener

The Fastest Way To A Better Looking Deck!!

- **No Unsightly Fastener Marks or Dangerous Pop Ups!**
- **For Use With Any Thickness of Deck Board, Hard or Soft Woods & Composites!**
- **Stainless Steel Fasteners For Long Lasting Performance**



Simple As . . .

1.



2.



3.



LOCKS DECK BOARD & JOIST SIMULTANEOUSLY WHILE 3RD PRONG LOCKS NEXT BOARD INTO PLACE

#44120
TEBO™ Stainless Steel
Deck Fasteners

#45120
Inverted Point For
Dense Composites



#TEBO2
TEBO Decker™
Hidden Deck
Fastener Tool



MAKES ALL DECKING LOOK BETTER WITHOUT NAILS OR SCREWS VISIBLE!

Cap Staplers



TCS6832 18 Gauge Cap Stapler.




GCS8116 20 Gauge Cap Stapler.

- **Quality Installation Has Never Been So Easy!**
- **10 Times Faster Installation Than With Hand Driven Applications**
- **Ideal For Installing Housewrap, Foam Board* and Roofing Felt**




The exclusive basket feed loads in seconds and eliminates cardboard sleeves or tubes.



Cap Staples have 10x greater holding power than staples alone.

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
TCS6832	200 Staples/ 200 Caps	5/8" & 7/8" 16mm & 22mm 1-1/4" & 1-1/2" 32mm & 38mm	18 Gauge 18 Gauge	Front

Tool	Staple Capacity	Staple Range	Diameter	Exhaust
GCS8116	200 Staples/200 Caps	5/8" 16mm	20 Gauge	Adjustable



Roofing Felt



Foam Board - *TCS6832 Only



House Wrap

SPOTNAILS®

Grip Clinch Canada
288 Garyray Drive
North York, Ontario
M9L 1P4

PH: 416-742-9161 Fax: 416-742-7108